


f=10mm V-DSLR ED AS NCS CS (for Cinema)

SPECIFICATIONS		1:3.1 10mm ED AS NCS CS									
APERTURE RANGE(T-STOP)		T3.1 to T22									
OPTICAL CONSTRUCTION		14 ELEMENTS IN 9 GROUPS (2 ASPHERICAL LENS)									
MINIMUM FOCUSING DISTANCE		0.24m									
FILTER SIZE		NONE									
MAXIMUM DIAMETER		φ87mm									
MOUNT		NIKON	CANON EOS	PENTAX K	SONY α	CANON M	FUJIFILM X	SAMSUNG NX	SONY E	FOUR-THIRDS	MICRO FOUR-THIRDS
ANGLE OF VIEW	APS-C	109.5°	105.9°	109.5°	109.5°	105.9°	109.5°	109.5°	109.5°	-	-
	FOUR-THIRDS (4/3")	-	-	-	-	-	-	-	-	93.4°	93.4°
LENGTH(LENS MOUNT TO FRONT)		103.6mm	106.1mm	104.6mm	105.6mm	132mm	132.4mm	124.6mm	132.1mm	111.4mm	130.9mm
WEIGHT		590g	600g	590g	595g	630g	635g	625g	630g	620g	630g
GEAR	MODULE	0.8									
	A	7mm									
	B	4mm									
	C	43.8mm									
	D	8mm	10.5mm	9mm	10mm	36.4mm	36.8mm	29mm	36.5mm	15.8mm	35.3mm
	FOCUS DIAMETER	φ81.6mm									
APERTURE DIAMETER		φ70.4mm	φ73.6mm								

Drawing



SAMYANG

Samyang Optics R&D Center
Copyright © 2013-0